

Effective July 1, 2021

800.852.4221






























# System Selection Guide

### Three areas to focus when determining water treatment needs.

- Scale (calcium & Magnesium)
- Taste & Odor
- Sediment



### Scale

Scale is the most prevalent problem is food service equipment. It cause equipment break-down and inefficiency resulting in high cost maintenance.

### Taste & Odor

Bad tastes and odors are usually the result of organics or chlorine present in the water. Carbon based filtration will absorb those substances and provide excellent water quality.

### Sediment

Sediment, dirt and any particulates can clog equipment and interfere with optimal operation. They will also contribute to premature filter exhaustion.

### Most water-related problems are caused by two basic characteristics:

- 1. A tendency to form scale impacts equipment operating efficiency and condition.
- 2. An offensive taste or odor impacts beverage quality. A common cause of offensive taste and odor is chlorine and its by-products.

Scale comes from naturally occurring minerals in the water commonly referred to as water hardness.

You may need to contact your local municipality to determine your water condition. We also offer a basic field test to test for water pH and hardness.

Because water chemistry varies from city to city, there are many variables when considering effective water treatment. We offer water treatment for any water condition and utilize five different technologies to solve water problems.

# **Water Treatment Options**

### Systems IV offers multiple water treatment configurations to meet your needs.

- **P** = Proprietary Our completely proprietary water treatment systems. The preferred solution for water treatment.
- **SP** = Semi-Proprietary Patented Scale control Cartridges with industry standard carbon filtration.
- **FF** = Fast Fit Our Fast Fit systems for easy cartridge change out and retro fit most Everpure® manifolds.
- **CB** = Drop-in Our drop-in carbon block and Citryne cartridges are easy to change out and designed for high flow.

### Scale Inhibitor

Our scale inhibitor encapsulates Calcium and Magnesium so that the molecules cannot bind to each other. Effectively inhibiting scale formation. Scale inhibition is effective where water does not have excessive scale.

### Eliminates Effects of Scale



Citryne is used in low and high scale problem water. We use a patent pending

technology to soften hard water based on the scientific process of chelation. Our FDA approved, proprietary formulation, keeps the minerals (calcium and magnesium) soluble and unable to bind to cause hard water problems. The resulting water is soft and healthy for all of your equipment needs.

### Mechanical Filtration

Sediment, dirt and any particulates can clog equipment and interfere with optimal operation. They will also contribute to premature filter exhaustion.

### Activated Carbon

Reduces corrosion caused by chlorine and absorbs most bad tastes and odors. Provides optimal drinking water for both hot and cold beverages.

### Reverse Osmosis

Utilizes a purification process that uses a partially permeable membrane to remove ions, unwanted molecules and larger particles from drinking water.

# **Citryne Scale Control Technology**



When using water treatment for for hard water problems, our patented Citryne blend is the optimal choice for the most effective and efficient scale control. Citryne will eliminate scale problems in water ranging from low scale (6 gpg hardness) up to very high scale (18 gpg Hardness and above). It is completely safe, FDA approved and also eliminates scale problems in cold or hot water conditions.

### Citryne offers a One-Two punch!

#### First -

It doesn't allow new scale to form in food service equipment.

#### Second -

Citryne breaks up the bonds of existing scale so they no longer accumulate in the equipment and Citryne makes equipment maintenance much easier.



# **Mechanical Filtration**

Mechanical filters are designed to trap and hold particulate matter (not dissolved) in water down to a specific size or micron. Our water treatment uses mechanical filtration for pre-filtration and very fine filtration to filter different forms of bacteria.

# **Activated Carbon to Treat Water**

Systems IV utilizes both granular coconut shell activated carbon and carbon block technology. Our activated carbon filtration for water is very effective in removing chlorine taste and odor, chemicals, organic contaminants, pesticides and herbicides that commonly found in tap water and well water.

In fact, one of the main reason that the activated carbon filter is widely used in our industry is because of its strong capability in removing chlorine taste and bad smell.

The activated carbon filter can also adsorb all the particles and contaminants with a size that are larger than the size of its pores.

# Scale Inhibitor Technology

Systems IV scale inhibitor media interferes with the ability of hardness minerals to crystalize and create scale. Our inhibitor also is utilized to inhibit corrosion to protect metal surfaces.

### Benefits of using Polyphosphate in Water:

- Prevent "red" staining (from iron) and "black" staining (from manganese) water
- Reduce soluble lead and copper in potable water
- Clean and dissolve precipitated mineral scale already existent in water distribution lines
- Prevent and/or retard scale formation (from mineral depositing) and corrosion (from low pH and/or dissimilar metals) in the water distribution system





Utilizing a proprietary formulation of CITRYNE<sup>®</sup>, Systems IV products eliminate scale without the use of hazardous chemicals. The patented mechanical release technology ensures a scale-free environment to provide continuous premium water.

### ICE MAKER WATER TREATMENT

)	Ice	Make	Size		Water Treatme	nt Solution		Replacement Cartridges			
	Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
	600 lbs.	3.0	3/8" Flare Easy connect avail.	Low	Crystal Clear One	10111011	170.70	CC1R	10111021	147.05	
	600 lbs.	3.9	1/2" FPT	High	Ecolce 600	10131011	438.40	Ecolce 600R	10131021	223.60	
	1300 lbs.	5.5	1/2' FPT	High	Ecolce 1300	10134011	760.05	Ecolce 1300R	10134021	490.50	
	2500 lbs.	7.0	1/2" FPT	High	Ecolce 2500	10136011	1,000.40	Ecolce 2500R	10136021	629.60	



Low Scale solutions utilize a very effective scale inhibitor while High Scale solutions utilize Citryne® for maximum scale elimination.

### PRE-CHILL TECHNOLOGY 🔆

lce	Make	r Size		Water Treatme	nt Solution		ChillTech Brackets			
Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
600 lbs.	3.8	1/2" Easy Connect	All	ChillTech Slim	1051002	578.40	CTSLIMBRKT	10158002	81.15	
1300 lbs.	5.5	1/2" MPT	All	ChillTech II	10152001	1,117.10	CTHORIZONTAL	10158202	81.15	
2400 lbs.	6.0	1/2" MPT	All	ChillTech III	10153001	1,216.00	CTHORIZONTAL	10158202	81.15	

ChillTech water treatment products don't have replacement cartridges. The complete unit should be replaced as needed.

#### **BACTERIA CONTROL**

Ice	Maker	Size		Water Treatme	nt Solution	Replacement Cartridges			
Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
All Ice Makers	5.5	1/2' FPT	Low	BioTech I	10811011	294.25	BTIR	10811021	260.85
All Ice Makers	5.5	1/2" FPT	High	BioTech II	10812011	597.85	BTIIR	10812021	540.80



High Scale solutions utilize Citryne® for maximum scale elimination.

### **SCALE CONTROL**

lce	Make	r Size		Water Treatme	nt Solution		ScaleGone Brackets			
Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
up to 800 lbs.	3.8	3/8" Easy Connect	High	ScaleGone 1	10911011	273.75	SB-SML	11201001	23.60	
up to 1800 lbs.	5.5	1/2" Easy Connect	High	ScaleGone 2	10912011	479.70	SB-MDM	11202001	24.65	
All Ice Makers	All Ice Makers 3.0 3/8" Easy Connec		High	CitryMax 8001	17591511	190.20	Citryne Retrofit	for 3M 8000 S	Series	



High Scale solutions utilize Citryne® for maximum scale elimination.

#### **BEVERAGE WATER TREATMENT**

	Bever	age Ap	plication		Water Treatme	nt Solution	Replacement Cartridges			
	Туре	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
Ф	Hot Beverage	2.5	3/8" Easy Connect	High	BWT100	10311011	174.75	BWTR	10311021	144.50
ag	Post Mix	7.0	1/2" FPT	ALL	Beverage Clear	10321011	801.55	BCR	10322021	474.40
示										





### STEAM COOKER WATER TREATMENT

)))	Stea	m Cook	er Size		Water Treatme	nt Solution		Replaceme	ent Cartridges	5
(((	Systems	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Flash Steamer (Complete System)	2.0	1/2" MPT	High	Water Master 1	10231001	824.35	WM1R Pak	10231021	385.75
Cookers	Single, Multi- Compartment & Combi-Ovens	4.0	1/2" FPT	High	Water Master 2	10232011	920.55	WM2R Pak	10232021	423.45
00	Stea	m Cook	er Size		Water Treatme	nt Solution		ScaleGo	ne Brackets	
O L	Add-on Units	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
Steam	Flash Steamer (add-on)	3.8	3/8" Easy Connect	High	ScaleGone 1	10911011	273.75	SB-SML (bracket)	1120100	23.60
	Single, Multi- Compartment & Combi-Ovens	5.50	1/2" Easy Connect	High	ScaleGone 2	10912011	479.70	SB-MDM (bracket)	11202001	24.65
	Multi- Compartment & Combi-Ovens	7.0	1/2" Easy Connect	High	ScaleGone 3	10913011	599.90	SB-LRG (bracket)	11203001	33.65
	CITRYNE	All	Steam Cooker water	er treatn	nent solutions utilize	e Citryne® for	maximum	scale elimination.		

### **WARE WASHER WATER TREATMENT**

•• ••••	Ware	Washe	er Size		Water Treatme	ent Solution		Replacement Cartridges			
	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
હ	Glass Washers & Under Counter	8.0	3/4" MPT	High	SC100H SYS	10411101	605.60	SC100H	16690121	164.30	
re Washers	Door Type & Small Conveyor	8.0	3/4" MPT	High	SC200H SYS	10412101	833.15	SC200H	16690221	252.75	
	Medium & Large Conveyor	12.0	3/4" MPT	High	SC300H SYS	1043101	1332.85	SC300H	16690421	375.30	
Ware	č	ALL	. Ware Washer wa	ater treatm	nent solutions utiliz	e Citryne® fo	r maximum	scale elimination.			

#### **CONVENIENCE FOOD STORE WATER TREATMENT**

			CONVENIE	TOLI	OOD OTOKE	WAILI	TIVEAT	IVI E I V I						
SHOP	Ice	& Beve	erage		Water Treatme	nt Solution		Replacem	ent Cartridges					
1001	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price				
es	Small Ice & Beverage	2.0	1/2" MPT	High	WaterMaster 1	10231001	824.35	WM1R Pak	10231021	385.75				
Stores	Medium Ice & Beverage	4.0	1/2" MPT	High	Water Master 2	10232011	920.55	WM2R Pak	10232021	423.45				
ence	Large Ice & Beverage	6.0	1/2" MPT	High	Water Master 3	10232011	1,095.05	WM3R Pak	10233021	495				
Convenience	Convenience Store	4.0	1/2" MPT	High	Water Master CS	10234011	941.05	WMCSR Pak	10234021	423.45				
Cor	Č AI	All Convenience Food Store water treatment solutions utilize Citryne® for maximum scale elimination.												

#### **TANKLESS HOT WATER SYSTEMS**

	TANKEESS HOT WATER STOTEMS												
	Tankless	Hot Wa	ter Systems	Water Treatment Solution				Replacement Cartridges					
8	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price			
8	Small/Medium	4.0	1/2" MPT	High	TWT100S	10831011	297.00	SC100	10911021	107.20			
	Medium/Large	8.0	1/2" MPT	High	TWT200S	10832011	440.45	SC200	10912021	162.55			
	All Tankless Hot water treatment solutions utilize Citryne® for maximum scale elimination.												

800.852.4221

# 2021 List Price Guide

Effective July 1, 2021



### **ICE MAKER WATER TREATMENT**

	Stea	m Cook	er Size		Water Treatme	nt Solution		Replacement Cartridges			
	Lbs. Per Day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
#	800	1.67	3/8" FPT	Low	FF-CP10	17111001	342.45	FF-CP10R	17511001	117.05	
nen	1000	2.0	3/8" FPT	Low	FF-CP15	17171501	371.55	FF-CP15R	17571501	144.40	
<b>Treatment</b>	1000	2.0	3/8" FPT	Low	FF-CP15DUO	17271501	585.20	FF-C15PRE FF-CP15R	17551501 17571501	89.55 144.40	
Water T	1500	4.0	3/8" FPT	High	FF-CSC15-2	17281001	870.10	FF-C15 FF-SC15	17511501 17591501	138.20 163.65	
Maker Wa	2000	6.0	3/8" FPT	High	FF-CSC15-3	17371501	1,077.60	FF-C15 FF-C15 FF-SC15	17511501 17511501 17591501	138.20 138.20 163.65	
Ma	×			-		!	'				

# CITRYNE

CITRYNE

Low Scale solutions utilize a very effective scale inhibitor while High Scale solutions utilize Citryne® for maximum scale elimination.

### STAND ALONE SCALE SYSTEM

<u>o</u>	War	e Washe	er Size		Water Treatme	nt Solution		Replaceme	ent Cartridges	S
Scale	Size	GPM	Connection	Scale	Model	Part No.	Price	Model	Part No.	Price
- o	Add-on unit for Scale	2.0	3/8" FPT	High	FF-SC15YS	17191501	397.30	FF-SC15	17591501	163.65
₽dd	č	This i	s and add-on wate	er treatm	ent solution that uti	lizes Citryne®	for maxin	num scale eliminatio	n.	

### **HOT & COLD BEVERAGE WATER TREATMENT**

7	Hot &	Hot & Cold Beverage			Water Treatme	Replacement Cartridges				
3	Size	GPM	Connection	Scale	Model	Part No.	Price	Model	Part No.	Price
	Hot & Cold Beverage	2.0	3/8" FPT	Low	FF-C15SYS	17111501	358.05	FF-C15	17511501	138.20
rerage	Beverage Dispensers & Carbonators	4.0	3/8" FPT	Low	FF-C15-2	17211511	830.45	FF-C15 FF-C15	17511501 17511501	138.20 138.20
8	V									



All Hot & Cold water treatment solutions provide maximum taste & chlorine removal.















800.852.4221

# 2021 List Price Guide

Effective July 1, 2021



### **MULTI-POINT WATER SYSTEMS**

	Multi-Poi	nt Wat	er Systems		Water Treatme	nt Solution		Replacement Cartridges			
	Size	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
oint	w/ 10" Pre-Filter	6.0	3/8" FPT	High	FF-CSCMP	17381501	1,801.80	FF-C15PRE FF-C15 FF-C15 FF-SC15	17551501 17511501 17511501 17591501	86.65 138.20 138.20 163.65	
Multi-Point	w/ 20" Pre-Filter	6.0	3/8" FPT	High	FF-15-3MP+	17481501	1,842.25	CB-5M20PRE FF-C15 FF-C15 FF-SC15	16675201 17511501 17511501 17591501	11.40 138.20 138.20 163.65	
	CITRYNE	,	All Multi-Point wate	r treatm	ent solutions utilize	Citryne® for	maximum s	cale elimination.			

### **ADDITIONAL CARTRIDGE OPTIONS**

$\approx$	Additional	Fast F	it Cartridges		Water Treatme	ent Solution		Additional Information
	Product	GPM	Connection	Scale	Model	Part No.	Price	Description
	Lead Reduction	2.0	3/8" FPT	Low	FF-C15L	17561501	72.60	Replacement 15" - 1 Micron
Cartridges	Lead Reduction	1.67	3/8" FPT	Low	FF-C10L	17561001	71.30	Replacement 10" - 1 Micron
	Chloramine Reduction	2.0	3/8" FPT	Low	FF-C15CL	17541501	153.80	Replacement 15" - 1 Micron
	Carbon Cartridge	2.0	3/8" FPT	Low	FF-C15 EXT	17511201	118.95	Extended Cap Retro-Fit Cartridge 1 Micron
Additional	Citryne Cartridge	2.0	3/8" FPT	High	FF-SC15 EXT	17591201	159.40	Extended Cap Retro-Fit Cartridge 1 Micron w/ Maximum Scale Control
Add	Carbon Cartridge w/ Polyphosphate	2.0	3/8" FPT	Low to Med.	FF-CP15 EXT	17571201	124.75	Extended Cap Retro-Fit Cartridge 1 Micron w/ Scale Inhibition
	CITRYNE	ļ			olutions address s ent units utilize Citr			

### **REVERSE OSMOSIS WATER TREATMENT**

~	Reverse	Osmos	sis Solution		Water Treatme	nt Solution		Replaceme	ent Cartridges	5
$\sim$	Product	GPD	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Complete System	500	3/8" FPT	High	S4-500RO	10843101	4,042.5	\$4-500RO-R	10845101	619.10
	Individual Repla	cement	t Parts Description		Model	Part No.	Price			
10	Replaceme	nt Cartr	idge Pre-Filter		FF-C10RPRE	10846101	98.20	replace 3 mos. or 20,000 gallons		
Osmosis	Replaceme	ent Carl	oon Cartridge		FF-C10	10846111	110.90	replace 3 mos.	or 20,000 gal	lons
)Eig	Membr	ane Rep	olacement		м-мв	10845501	410.05	replacement var	ies - up to 6 m	nonths
_	9 Gallon Ro	O storaç	ge tank - steel		ST9	10849821	277.20	6 gallon actural		
Reverse	20 Gallon R	O stora	ge tank - steel		ST20	10849841	716.10	12 gal		
) SVe	44 Gallon Re	O Stora	ge Tank - steel		ST44	10849861	2,858.65	27 gallon actual		
ď	Polypropylene s	torage	tank shut-off valve		TSOV	10849911	101.65	3/8" and 1/4" Female NP		F
	Quick Connect B	all Valve	e Kit for 1.25" FNPT		BVK	10849912	213.70	1/2" and 3	3/8" ball valve	
			Reverse	Osmosis	s is used for the rec	luction of silic	a and chlor	ides.		



Effective July 1, 2021

800.852.4221

### **DROP-IN WATER TREATMENT CARTRIDGES**

~	Cartridge Type			Water Trea	tment Solutio	n
$\sim$	Description	GPM	Benefit	Model No.	Part No.	Price
	10" Poly Spun 5 Micron Pre-filter	Up to 1.5	Filtration	CB-5M10PRE	16675101	8.40
	10 Carbon Block 5 Micron	Up to 1.5	Taste & Odor	CB-5M10	16615101	29.85
	10" Carbon Block .5 Micron	Up to 1.5	Taste & Odor	CB5M10	16610101	31.50
es S	10" Carbon Block .5 Micron with 4 oz. Polyphosphate	Up to 1.5	Taste, Odor & Scale	CB5MP10	14570111	52.25
Cartridges	20" Poly Spun 5 Micron Pre-filter	Up to 3.0	Filtration	CB-5M20PRE	16675201	17.55
art	20 Carbon Block 5 Micron	Up to 3.0	Taste & Odor	CB-5M20	16615211	77.00
	20" Carbon Block .5 Micron	Up to 3.0	Taste & Odor	CB5M20	16610211	64.90
4	20" Carbon Block .5 Micron with 8 oz. Polyphosphate	Up to 3.0	Taste, Odor & Scale	CB5MP20	14570211	107.80
Drop-In	Jumbo 5 Micron Pre-filter	Up to 6.0	Filtration	CB-5MJPRE	16615401	70.40
	Jumbo Carbon Block 5 Micron	Up to 6.0	Taste & Odor	CB-5MJ	16615411	105.60
	Jumbo Carbon Block 5 Micron with 8 oz. Polyphosphate	Up to 6.0	Taste, Odor & Scale	CB-5MPJ	16675411	134.20

# Legacy Series

### **OVER 30 YEARS of PROVEN WATER TREATMENT**

The Legacy Series has been proven for years to be unequaled in water treatment quality and satisfaction for the food service industry. Systems IV continues to provide the Legacy Series water treatment products.

	lce	Maker	Size		Water Treatm	ent Solution		Replacement Cartridges			
	Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
	1,000 lbs.	3.67	3/8" Flare	Low	DB1000	10111111	619.05	DB1001	10111121	388.50	
	1,000 lbs.	3.67						DB901N	10111201	388.50	
	1,000 lbs.	3.67	1/2" Flare	Low	H200N	10111511	618.85	H201N	10111521	388.75	
	1,400 lbs.	5.5	1/2" Flare	Low	MF1400N	10111211	740.95	MF1401N	10111221	456.45	
Ħ	3,500 lbs.	7.3	1/2" Flare	Low	THF350N	10111311	1,047.95	THF351N	10111321	605.45	
ment			Low	Scale sol	lutions utilize a ve	ery effective so	ale inhibitor.				

### **ICE MAKER WATER TREATMENT - HIGH scale applications**

Ice	Maker	Size		Water Treatme	ent Solution		Replacement Cartridges			
Lbs. per day	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price	
1,300 lbs.	5.50	1/2" FPT	High	WaterTech	10112111	876.45	WTR WT1 WT2	10112120 10112121 10112122	536.45 232.40 332.25	
2,400 lbs.	5.50	1/2" FPT	High	IceTech	10113111	849.00	ITR IT1 IT2	10113120 10113121 10113122	536.45 232.40 332.25	
3,000 lbs.	7.30		High				ProMax 3000R-4	10114324	1105.35	
3,000 lbs.	7.30		High				ProMax 3000R-5	10114325	1105.35	

CITRYNE

Ice Maker Water Treat

High Scale solutions utilize Citryne® for maximum scale elimination.



Effective July 1, 2021



### STEAM COOKER WATER TREATMENT - SIX MONTH SOLUTIONS

)))	Steam Cooker Size				Water Treatme	nt Solution	Replacement Cartridges			
(((	Systems	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Counter Top or Floor model (Complete System)	5.5	1/2" FPT	High	SteamTech	1`0222011	849.00	STR ST1 ST2	10222020 10222021 10222022	536.30 232.40 332.25
	Multi- Compartment & Combi-Ovens	5.5	1/2" FPT	High	WaterTech	10112111	876.45	WTR WT1 WT2	10112120 10112121 10112122	536.45 232.40 332.25

### STEAM COOKER WATER TREATMENT - ONE YEAR SOLUTIONS

Stea	ım Cooke	r Size		Water Treatn	nent Solution	Replacement Cartridges			
Systems	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
One Compartment Steamer	5.5	1/2: FPT	High	SCP30-2	10214012	1516.30	SCP30R-2 F70C (1st unit) AB412R-2 (2nd unit)	10214022 10214020 10214032	1,180.20 614.50 456.45
Multi- Compartment & Combi-Ovens	5.5	1/2" FPT	High	SCP30-3	10214013	1516.30	SCP30R-3 F70C (1st unit) AB412R-3 (2nd unit)	10214023 10214020 10214033	1180.20 614.50 456.45



Steam Cookers

All Steam Cooker water treatment solutions utilize Citryne® for maximum scale elimination.

### **SCALE CONTROL**

$\approx$	Add-on Sc	ale Cor	ntrol Products	Water Treatment Solution				Replacement Cartridges		
$\sim$	Application	GPM	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Ice & Steam	5.5	1/4" Compression	High	AB16	10911011	260.85			
	Ice & Steam	5.5	3/8" Compression	High	AB312	10912011	355.70			
Scale	Scale Remover	N/A	2.2 lb. bag	High	QUICKCLN	11941001	46.20			
Ň	Ice & Steam			High	SCALEFREE	10910011	402.95	SFBR	10910021	332.10
	CITRYNE		High Sca	ale soluti	ons utilize Citryne	® for maximur	n scale elin	nination.		

### **MISCELLANEOUS & SYSTEM REPLACEMENTS**

$\approx$	Applicat	tion	Water Treatment Solution				Replacement Cartridges		
$\sim$	Use	Connection	Scale	System	Part No.	Price	Model	Part No.	Price
	Coffee Brewers	3/8" Flare	ALL	Coffee Clear (CC)	10311111	161.35	СС	10311111	161.35
Miscellaneous	Replacement Chlorinator	1/4" Compression	ALL	CL12A	10841011	260.85			
	BioClean II (2nd stage)	1/4" Compression	ALL	CL16	10842011	284.65			
lisce	25 micron 10" Pleated Cartridge	Cartridge	ALL	SD8	10607101	36.85			
Σ	5 micron 10" Carbon Cartridge	Cartridge	ALL	TD1	10605101	40.50			
	Pressure Gauge	Gauge	ALL	RL100	11010001	47.60			
	Water Analysis Test Kit	N/A		QTK	11030001	19.45			